

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S74	561	gibson-w\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 08:07
S75	2	S74 and (s adj cam\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:37
S76	4	(s adj cam) same brake same spline\$1 same bushing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:13
S77	13	("3076531" "3279569" "3497037" "3650360" "4200174" "4476968" "4838389" "5649612" "5695025" "5887687").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 13:13
S78	369	188/329,330.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:38
S79	1373	188/205r,206r.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:38
S80	1350	S79 not S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:51
S81	6	S80 and (s adj cam\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:56
S82	1000	403/365,367.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:57
S83	0	S82 and (s adj cam\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:57

S84	61	S82 and (cam\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 13:57
S85	5	S84 and brak\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 14:00
S87	297	188/73.31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/01 14:01
S88	1	S87 and (s adj cam\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 07:41
S89	1	("5649612").PN.	USPAT	OR	OFF	2004/12/02 07:58
S90	13930	bushing\$1 near bearing\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 07:59
S91	4	S90 same (s adj cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 08:48
S92	1	("4838389").PN.	USPAT	OR	OFF	2004/12/02 08:28
S93	23	("2886141" "2892662" "2923579" "3020099" "3076531" "3102759" "3149887" "3279569" "3313579" "4307921" "4311349" "4488826" "4576488" "4601590").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 08:28
S94	4	("2249843" "4459048" "4474483").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 08:38
S95	1	("4838389").URPN.	USPAT	OR	OFF	2004/12/02 08:38
S96	17	("4576488").URPN.	USPAT	OR	OFF	2004/12/02 08:38
S97	5	"098906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 08:49

S98	34	"98906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 08:50
S99	20	"1298556"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 11:14
S10 0	2	("2886141").PN.	USPAT; USOCR	OR	OFF	2004/12/02 11:34
S10 1	23	((shank or shaft) with machined) and (s adj cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 11:35
S10 2	97	((shank or shaft) with machined) and (cam same shoe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 11:36
S10 3	46	((shank or shaft) with machined) and (cam with shoe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 11:38
S10 4	6	((shank or shaft) near machined) and (cam with shoe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 11:39
S10 5	10	((shank or shaft) near machined) and "188"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/02 11:39
S10 6	28	(single near elongate\$1 near (bushing or bearing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 08:13
S10 7	1	S106 and "188"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 08:08
S10 8	8	("2781868" "3307661" "3894620" "4484665" "4981200" "5044475").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/06 08:34

S10 9	21	("1728384" "1771011" "1908745" "2059270" "2064103" "2106717" "2751048" "2788866" "3016112" "3837446" "4064978" "4216850").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/06 08:36
S11 0	4	("3076531").URPN.	USPAT	OR	OFF	2004/12/06 08:48